

PHARMACOPŒIA
OF
ST. BARTHOLOMEW'S
HOSPITAL.

M15722

7



22500288578

PHARMACOPŒIA

OF

St. Bartholomew's Hospital.



LONDON :

PRINTED BY J. E. ADLARD,

BARTHOLOMEW CLOSE.

1869.

WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOMec
Coll.	
No.	QV1740
	.BES
	1869
	313p

M15722

Medical Officers of the Hospital.

Consulting Physician—DR. BURROWS.

Consulting Surgeons.

MR. SKEY.		MR. WORMALD.
-----------	--	--------------

Physicians.

DR. FARRE.		DR. HARRIS.
DR. BLACK.		DR. ANDREW.

Surgeons.

MR. PAGET.		MR. HOLDEN.
MR. COOTE.		MR. SAVORY.

Assistant Physicians.

DR. SOUTHEY.		DR. GEE.
DR. CHURCH.		DR. DUCKWORTH.

Assistant Surgeons.

MR. CALLENDER.		MR. WILLETT.
MR. SMITH.		MR. LANGTON.

Physician-Accoucheur—DR. GREENHALGH.

Surgeon-Dentist—MR. COLEMAN.



Digitized by the Internet Archive
in 2014

<https://archive.org/details/b20405649>

PREFACE.

THE object of this Pharmacopœia is to describe certain medicinal preparations and compounds which are frequently employed in St. Bartholomew's Hospital, but are not contained in the British Pharmacopœia.

The substances named in these preparations have been taken, with very few exceptions, from the British Pharmacopœia of 1867; and the weights and measures employed are such as are authorised in that work.

The adoption of the English language in the British Pharmacopœia justifies the use of the same language in this Hospital Phar-

macopœia; but the medicines themselves are designated, as they also are in the British Pharmacopœia, by a Latin as well as by an English name, for the convenience of prescription.

A Table has been appended of the Doses of Officinal Medicines recommended in the British Pharmacopœia, which will probably be found a useful and convenient addition.

CONTENTS.

	PAGE
Medical Officers of the Hospital	iii
Preface	v
Substances employed in the Hospital Pre- parations, but not contained in the British Pharmacopœia	viii
List of new Preparations contained in the present Pharmacopœia	ix
List of Preparations whose name has been altered	xiii
List of Preparations whose composition has been altered	xiv
The Pharmacopœia	1
Diet Table	54
Table of Doses of Officinal Medicines, from the 'British Pharmacopœia'	56
Index	67

*Substances employed in the Hospital
Preparations, but not contained in
the British Pharmacopœia.*

Cape Aloes.

Commercial Extract of Liquorice.

Oil of Cassia.

Oil of Marjoram.

Sea-salt.

Size (gluten).

NEW PREPARATIONS

Contained in the present Pharmacopœia.

Aqua Carui.

—— Caryophylli.

—— Cassiæ.

—— Menthæ Piperitæ.

—— Menthæ Viridis.

Balneum Acidum.

———— Alkalinum.

———— Calidum.

———— Creasoti.

———— Glutinis.

———— Marinum.

———— Sulphureum.

———— Tepidum.

Confectio Boracis.

Decoctum Aloes Compositum.

———— Hemidesmi Compositum.

Enema Olei Ricini.

Fotus Belladonnæ.

—— Papaveris.

Gargarisma Aluminis Compositum.

Glycerinum Acidi Gallici.

Haustus Acidi Gallici.

—— Acidi Hydrocyanici.

—— Acidi Nitro-hydrochlorici.

—— Ætheris Ammoniatus.

—— Calumbæ Compositus.

—— Ferri et Ammoniæ Citratis.

—— Gentianæ cum Rheo.

—— Gentianæ cum Senna.

—— Hemidesmi cum Potassii Iodido.

—— Olei Morrhuæ.

—— Olei Morrhuæ Alkalinus.

—— Olei Ricini.

—— Olei Ricini Alkalinus.

—— Potassæ Chloratis.

—— Potassæ Effervescens.

—— Potassii Iodidi Ammoniatus.

—— Quassiæ cum Ferro.

—— Quiniæ cum Ferro.

—— Sodæ Tartratis.

—— Valerianæ cum Hyoscyamo.

Haustus Zinci Emeticus.

Linctus cum Ipecacuanha.

Lotio Aceti.

—— Acidi Carbolici.

—— Acidi Sulphurosi.

—— Aluminis Composita.

—— Aluminis Mitissima.

—— Atropiæ Sulphatis.

—— Boracis cum Potassæ Chlorate.

—— Cupri Sulphatis.

—— Ferri Sulphatis.

—— Hydrargyri Perchloridi.

—— Plumbi Acetatis.

—— Potassæ Permanganatis.

—— Zinci Sulphatis Mitior.

Oleum Carbolatum.

Pilula Aloes cum Nuce Vomica.

—— Creasoti.

—— Creasoti cum Assafœtida.

—— Ferri Redacti.

—— Hydrargyri Perchloridi cum Bella-
donna.

Potassa cum Calce.

Pulvis Cretæ Aromaticus cum Rheo.

Spiritus Ammoniaë Aromaticus.

Spiritus Ammonię Fœtidus.

———— Carui.

———— Caryophylli.

———— Cassiæ.

———— Menthæ Piperitæ.

———— Menthæ Viridis.

Syrupus Papaveris.

———— Rhœados.

Vinum Ipecacuanhæ.

*Preparations whose Name has been altered
in the present Pharmacopœia.*

PHARMACOPŒIA 1861.

- Collyrium Aluminis.
 — Argenti Nitratis.
 Confectio Cinchonæ.
 — Ferri Potassio-tartratis.
 — Jalapæ Composita.
 — Potassæ Bitartratis.
 — Sulphuris Composita
 Decoctum Sarsæ Compositum.
 Gargarisma Acidi Acetici.
 — Acidi Hydrochlorici.
 Haustus Aromaticus.
 — Aromaticus cum Rheo.
 — Cinchonæ Compositus.
 — Colchici Compositus.
 — Cretæ Compositus.
 — Emeticus.
 — Sodæ Tartratis.
 Linimentum Plumbi cum
 Oleo.
 Lotio Hydrargyri Bichloridi
 Amygdalina.
 — Potassii Sulphureti.
 Vinum Ferri.

PHARMACOPŒIA 1869.

- Lotio Aluminis Mitior.
 — Argenti Nitratis Mitior.
 Confectio Cinchonæ Flavæ.
 — Ferri Tartarati.
 — Jalapæ.
 — Potassæ Tartratis Acidæ.
 — Sulphuris.
 Decoctum Hemidesmi Compositum.
 Gargarisma Aceticum.
 — Hydrochloricum.
 Haustus Cretæ Aromaticus.
 — Cretæ Aromaticus cum Rheo.
 — Cinchonæ Acidus.
 — Colchici.
 — Cretæ Aromaticus cum Opio.
 — Ipecacuanhæ Emeticus.
 — Sodæ Effervescens.
 Linimentum Plumbi.
 Lotio Hydrargyri Perchloridi
 Hydrocyanica.
 — Potassæ Sulphuratæ.
 Liquor Ferri Tartarati.

Preparations whose Composition has been altered in the present Pharmacopœia.

Confectio Aluminis.....	Treacle for Confection of Roses.
— Jalapæ	30 gr. Compound Jalap Powder for about 7 gr. Jalap and 40 gr. Bitartrate of Potash.
Gargarisma Capsici	10 min. Tincture of Capsicum for 15 min.
— Sodæ Chloratæ	30 min. Solution of Chlorinated Soda for 20 min.
Haustus Aloes et Camphoræ...	2 gr. Cape Aloes for 3 gr.
— Ammonia Acetatis cum Scilla.	20 min. Vinegar of Squill for 30 min.
— Camphoræ Foetidus ...	15 min. Fetid Spirit of Am- monia for 20 min. Comp. Tinct. of Cardamoms omitted.
— Cascarillæ cum Scilla .	Tincture of Squill for Vinegar of Squill.
— Cinchonæ Acidus	Infusion of Roses omitted.
— Colchici	15 min. Tincture of Colchicum for 20 min.
— Copaibæ Compositus ...	30 gr. Cubebs for 60 gr.
— Cretæ Aromaticus cum Opio.	Aromatic Powder of Chalk and Opium for Pulvis Cretæ Compositus <i>Ph. Lond.</i>
— Rhei cum Magnesia ...	30 gr. Compound Rhubarb Pow- der for 10 gr. Rhubarb and 10 gr. Carbonate of Magnesia.
— Terebinthinæ	20 min. Oil of Turpentine for 30 min.
Liquor Ferri Tartarati (Vinum Ferri, 1861).	8 gr. Tartarated Iron for 10 gr.
Lotio Hydrargyri Perchloridi Hydrocyanica.	Glycerine and Hydrocyanic Acid for Bitter Almonds.
— Quercus Composita ...	4 gr. Sulphate of Zinc and 4 gr. Alum for 8 gr. Alum.
Pilula Ferri Foetida	3 gr. Saccharated Carb. of Iron for 2 gr. Peroxide of Iron.

The Draughts have been, with very few exceptions, reduced in quantity from $1\frac{1}{2}$ ounces to 1 ounce.

PHARMACOPŒIA.

AQUA CARUI. CARAWAY WATER.

Take of

Spirit of Caraway	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of caraway.

AQUA CARYOPHYLLI. CLOVE WATER.

Take of

Spirit of Cloves	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of cloves.

AQUA CASSIÆ.

CASSIA WATER.

Take of

Spirit of Cassia	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of cassia.

AQUA MENTHÆ PIPERITÆ.

PEPPERMINT WATER.

Take of

Spirit of Peppermint	.	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of peppermint.

AQUA MENTHÆ VIRIDIS.

SPEARMINT WATER.

Take of

Spirit of Spearmint	...	30 minims,
Distilled Water	...	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of spearmint.

BALNEUM ACIDUM.

ACID BATH.

Take of

Nitric Acid	...	...	1½ fl. ounces,
Hydrochloric Acid	...	...	1 fl. ounce,
Water	...	...	30 gallons.

Mix.

BALNEUM ALKALINUM.

ALKALINE BATH.

Take of

Carbonate of Soda	...	...	8 ounces,
Water	...	...	30 gallons.

Dissolve.

BALNEUM CALIDUM.

WARM BATH.

Take of

Water at 96°	...	...	30 gallons.
--------------	-----	-----	-------------

BALNEUM CREASOTI.

CREASOTE BATH.

Take of

Creasote	...	...	¼ fl. ounce,
Glycerine	...	...	2 fl. ounces,
Water	...	...	30 gallons.

Mix.

BALNEUM GLUTINIS.

SIZE BATH.

Take of

Size	...	...	...	8 pounds,
Boiling Water			...	1 gallon.

Mix and add

Water	...	...	...	to 30 gallons.
-------	-----	-----	-----	----------------

BALNEUM MARINUM.

SALT-WATER BATH.

Take of

Sea-Salt	...	...	9 pounds,
Water	...	...	30 gallons.

Dissolve.

BALNEUM SULPHUREUM.

SULPHUR BATH.

Take of

Sulphurated Potash	...	8 ounces,
Water	...	30 gallons.

Dissolve.

BALNEUM TEPIDUM.

TEPID BATH.

Take of

Water at 90°	...	...	30 gallons.
--------------	-----	-----	-------------

CERATUM SIMPLEX.

SIMPLE CERATE.

Take of

Yellow Wax	...	...	$\frac{1}{4}$ ounce,
Prepared Lard	...	...	$\frac{3}{4}$ ounce.

Melt together.

CONFECTIO ALUMINIS.

CONFECTION OF ALUM.

Take of

Alum in powder	...	...	120 grains,
Treacle...	...	...	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 15 to 30 grains of alum.

CONFECTIO BORACIS.

CONFECTION OF BORAX.

Take of

Borax in powder	...	...	64 grains,
Treacle...	...	...	to 1 fl. ounce.

Mix.

CONFECTIO CINCHONÆ FLAVÆ.

CONFECTION OF YELLOW CINCHONA.

Synonym.—*Confectio Cinchonæ*, 1861.

Take of

Yellow-Cinchona Bark

in fine powder ... 80 grains,

Ginger in powder ... 8 grains,

Treacle ... to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing 20 grains of yellow-cinchona bark.

CONFECTIO FERRI TARTARATI.

CONFECTION OF TARTARATED IRON.

Synonym.—*Confectio Ferri Potassio-tartratis*, 1861.

Take of

Tartarated Iron ... 30 grains,

Acid Tartrate of Potash 180 grains,

Ginger in powder ... 5 grains,

Treacle ... to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing $7\frac{1}{4}$ grains of tartarated iron and 45 grains of acid tartrate of potash.

CONFECTIO JALAPÆ.

CONFECTION OF JALAP.

Synonym.—*Confectio Jalapæ Composita*,
1861.

Take of

Compound Powder of

Jalap 120 grains,

Treacle... to 1 fl. ounce.

Mix.

Dose.—2 to 4 teaspoonfuls, containing 30 to 60 grains of compound jalap powder.

CONFECTIO POTASSÆ TARTRATIS
ACIDÆ.

CONFECTION OF ACID TARTRATE OF POTASH.

Synonym.—*Confectio Potassæ Bitartratis*,
1861.

Take of

Acid Tartrate of Pot-

ash 240 grains,

Ginger in powder ... 5 grains,

Treacle... to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 30 to 60 grains of acid tartrate of potash.

CONFECTIO SULPHURIS.

CONFECTION OF SULPHUR.

Synon.—*Confectio Sulphuris Composita*, 1861.

Take of

Sublimed Sulphur	...	200 grains,
Acid Tartrate of Potash	...	50 grains,
Treacle...	...	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 25 to 50 grains of sulphur and $6\frac{1}{4}$ to $12\frac{1}{2}$ grains of acid tartrate of potash.

DECOCTUM ALOES COMPOSITUM.

COMPOUND DECOCTION OF ALOES.

Take of

Cape Aloes in powder	.	120 grains,
Myrrh in powder	...	90 grains,
Carbonate of Potash	...	60 grains,
Commercial Extract of		
Liquorice		1 ounce,
Tincture of Ginger	...	$\frac{3}{4}$ fl. ounce,
Rectified Spirit	...	3 fl. ounces,
Distilled Water	...	a sufficiency.

Boil the solids for five minutes in a pint

of the water; cool, and add the spirit. Then strain, and add through the strainer sufficient water to make 30 fluid ounces.

Dose.— $\frac{1}{2}$ to 2 fluid ounces, containing 2 to 8 grains of Cape aloes and $1\frac{1}{2}$ to 6 grains of myrrh.

DECOCTUM HEMIDESMI COMPOSITUM.

COMPOUND DECOCTION OF HEMIDESMUS.

Synon.—*Decoctum Sarsæ Compositum*, 1861.

Take of

Hemidesmus Root	...	$2\frac{1}{2}$ ounces,
Sassafras Root in chips	}	each $\frac{1}{4}$ ounce,
Guaiacum Wood turn-		
ings		
Commercial Extract of		
Liquorice	...	...
Mezereon Bark	...	60 grains,
Boiling Distilled Water		$1\frac{1}{2}$ pints.

Digest and boil down to 1 pint.

Dose.—1 fluid ounce.

ENEMA OLEI RICINI.

ENEMA OF CASTOR OIL.

Take of

Castor Oil	...	...	2 fl. ounces,
Mucilage of Starch	...	...	18 fl. ounces.

Mix.

ENEMA SAPONIS.

ENEMA OF SOAP.

Take of

Soft Soap	...	...	$\frac{3}{4}$ ounce,
Warm Water	...	...	1 pint.

Mix.

ENEMA SODII CHLORIDI.

ENEMA OF COMMON SALT.

Take of

Common Salt	...	...	1 ounce,
Decoction of Barley	...	...	1 pint.

Dissolve.

FOTUS BELLADONNÆ.

BELLADONNA FOMENTATION.

Take of

Extract of Belladonna	...	...	3 grains,
Water	...	...	1 fl. ounce.

Mix and filter.

FOTUS PAPAVERIS.

POPPY FOMENTATION.

Take of

Bruised Poppy Capsules without seeds . 3 ounces,
 Water 2 pints.

Boil for 10 minutes and strain.

GARGARISMA ACETICUM.

ACETIC GARGLE.

Synonym.—*Gargarisma Acidi Acetici*, 1861.

Take of

Acetic Acid 15 minims,
 Oxymel 30 minims,
 Distilled Water ... to 1 fl. ounce.

Mix.

GARGARISMA ALUMINIS.

ALUM GARGLE.

Synonym.—*Lotio Aluminis* (page 34).

GARGARISMA ALUMINIS COMPOSITUM.

COMPOUND ALUM GARGLE.

Take of

Alum 16 grains,
 Tincture of Myrrh ... 15 minims,
 Distilled Water ... to 1 fl. ounce.

Mix.

GARGARISMA CAPSICI.

CAPSICUM GARGLE.

Take of

Tincture of Capsicum .	10 minims,
Diluted Sulphuric Acid	6 minims,
Decoction of Pale Cin-	
chona 	to 1 fl. ounce.

Mix.

GARGARISMA HYDROCHLORICUM.

HYDROCHLORIC GARGLE.

Synonym.—*Gargarisma Acidi Hydrochlorici*, 1861.

Take of

Diluted Hydrochloric	
Acid	15 minims,
Decoction of Pale Cin-	
chona 	to 1 fl. ounce.

Mix.

GARGARISMA SODÆ CHLORATÆ.

CHLORINE GARGLE.

Synonyms.—*Lotio Sodæ Chloratæ* (page 40).
Gargarisma Sodæ Chlorinatæ, 1861.

GLYCERINUM ACIDI GALLICI.

GLYCERINE OF GALLIC ACID.

Take of

Gallic Acid	...	...	40 grains,
Rectified Spirit	...	...	2 fl. drachms,
Glycerine	...	...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS ACIDI GALLICI.

DRAUGHT OF GALLIC ACID.

Take of

Glycerine of Gallic			
Acid	...	...	1 fl. drachm,
Distilled Water	...	...	7 fl. drachms.

Mix.

It contains 5 grains of gallic acid.

HAUSTUS ACIDI HYDROCYANICI.

DRAUGHT OF HYDROCYANIC ACID.

Take of

Diluted Hydrocyanic			
Acid	...	...	4 minims,
Bicarbonate of Soda	...	...	5 grains,
Distilled Water	...	...	to 1 fl. ounce.

Dissolve and Mix.

HAUSTUS ACIDI NITRO-HYDROCHLORICI.

DRAUGHT OF NITRO-HYDROCHLORIC ACID.

Take of

Diluted Nitro-hydro-	
chloric Acid	... 10 minims,
Tincture of Orange Peel	20 minims,
Spirit of Chloroform	... 10 minims,
Distilled Water	... to 1 fl. ounce.

Mix.

HAUSTUS ÆTHERIS AMMONIATUS.

AMMONIATED ETHER DRAUGHT.

Take of

Spirit of Ether	...	} each $\frac{1}{2}$ fl. drachm,
Aromatic Spirit of	...	
Ammonia	...	
Distilled Water	...	7 fl. drachms.

Mix.

HAUSTUS ALOES ET CAMPHORÆ.

DRAUGHT OF ALOES AND CAMPHOR.

Take of

Compound Decoction	} each $\frac{1}{2}$ fl. ounce.
of Aloes	
Camphor Water	

Mix.

It contains 2 grains of Cape aloes.

HAUSTUS AMMONIACI FŒTIDUS.

FETID AMMONIACUM DRAUGHT.

Take of

Fetid Spirit of Am-	
monia	... 15 minims,
Ammoniacum Mixture	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS.

DRAUGHT OF ACETATE OF AMMONIA.

Take of

Solution of Acetate of	} each $\frac{1}{2}$ fl. ounce.
Ammonia...	
Distilled Water	

Mix.

HAUSTUS AMMONIÆ ACETATIS CUM
MAGNESIÆ SULPHATE.DRAUGHT OF ACETATE OF AMMONIA AND
SULPHATE OF MAGNESIA.

Take of

Sulphate of Magnesia	60 grains,
Draught of Acetate of	
Ammonia	... to 1 fl. ounce.

Dissolve.

HAUSTUS AMMONIÆ ACETATIS CUM SCILLA.

DRAUGHT OF ACETATE OF AMMONIA AND SQUILL.

Take of

Vinegar of Squill	...	20 minims,
Draught of Acetate of		
Ammonia	... to 1 fl. ounce.	

Mix.

HAUSTUS AMMONIÆ ACETATIS ET CAMPHORÆ.

DRAUGHT OF ACETATE OF AMMONIA AND
CAMPHOR.

Take of

Solution of Acetate of		
Ammonia	... 2 fl. drachms,	
Camphor Water	... 6 fl. drachms.	

Mix.

HAUSTUS AMYGDALÆ.

ALMOND DRAUGHT.

Take of

Almond Oil	...	} each 2 fl. drachms,
Mucilage of Gum-		
Acacia	...	
Distilled Water	... 1 fl. ounce.	

Mix.

HAUSTUS ANTIMONII CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ANTIMONY AND SULPHATE OF
MAGNESIA.

Take of

Tartarated Antimony	$\frac{1}{8}$ grain,
Sulphate of Magnesia	60 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

HAUSTUS CALUMBÆ ALKALINUS.

ALKALINE DRAUGHT OF CALUMBA.

Take of

Bicarbonate of Soda	... 10 grains,
Tincture of Orange-	
Peel	... 30 minims,
Infusion of Calumba	... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CALUMBÆ COMPOSITUS.

COMPOUND DRAUGHT OF CALUMBA.

Take of

Tincture of Calumba	... 30 minims,
Bicarbonate of Soda	... 10 grains,
Infusion of Orange-	
Peel	... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CAMPHORÆ FŒTIDUS.

FETID CAMPHOR DRAUGHT.

Take of

Fetid Spirit of Am-

monia 15 minims,

Camphor Water ... to 1 fl. ounce.

Mix.

HAUSTUS CASCARILLÆ CUM SCILLA.

DRAUGHT OF CASCARILLA AND SQUILL.

Take of

Tincture of Squill ... 15 minims,

Infusion of Cascarilla to 1 fl. ounce.

Mix.

HAUSTUS CINCHONÆ ACIDUS.

ACID CINCHONA DRAUGHT.

Synon.—Haustus Cinchonæ Compositus, 1861.

Take of

Diluted Sulphuric Acid 10 minims,

Decoction of Pale Cin-

chona to 1 fl. ounce.

Mix.

HAUSTUS COLCHICI.

COLCHICUM DRAUGHT.

Synon.—Haustus Colchici Compositus, 1861.

Take of

Tincture of Colchicum

Seeds ... 15 minims,

Carbonate of Magnesia 10 grains,

Spearment Water ... to 1 fl. ounce.

Mix.

HAUSTUS COPAIBÆ COMPOSITUS.

COMPOUND COPAIVA DRAUGHT.

Take of

Copaiva ... 15 minims,

Mucilage of Gum-

Acacia ... 1 fl. drachm,

Cubebs in powder ... 30 grains,

Spirit of Nitrous Ether 15 minims,

Camphor Water ... to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS.

AROMATIC CHALK DRAUGHT.

Synonym.—Haustus Aromaticus, 1861.

Take of

Aromatic Powder of

Chalk ... 30 grains,

Cassia Water ... to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM OPIO.

AROMATIC CHALK DRAUGHT AND OPIUM.

Synonym.—*Haustus Cretæ Compositus*, 1861.

Take of

Aromatic Powder of	
Chalk and Opium ...	20 grains,
Cassia Water ...	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK DRAUGHT AND RHUBARB.

Synon.—*Haustus Aromaticus cum Rheo*, 1861.

Take of

Aromatic Chalk Pow-	
der and Rhubarb ...	30 grains,
Cassia Water ...	to 1 fl. ounce.

Mix.

HAUSTUS FERRI ET AMMONIÆ CITRATIS.

DRAUGHT OF CITRATE OF IRON AND AMMONIA.

Take of

Citrate of Iron and	
Ammonia ...	8 grains,
Carbonate of Ammonia	2 grains,
Spirit of Chloroform...	10 minims,
Infusion of Quassia ...	to 1 fl. ounce.

Mix.

HAUSTUS GENTIANÆ CUM RHEO. DRAUGHT OF GENTIAN AND RHUBARB.

Take of

Infusion of Rhubarb .	$\frac{1}{2}$ fl. ounce,
Tincture of Gentian ...	30 minims,
Bicarbonate of Soda ...	10 grains,
Spirit of Chloroform...	10 minims,
Peppermint Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS GENTIANÆ CUM SENNA. DRAUGHT OF GENTIAN AND SENNA.

Take of

Infusion of Senna ...	$\frac{1}{2}$ fl. ounce,
Tincture of Ginger ...	20 minims,
Compound-Infusion of Gentian	to $1\frac{1}{2}$ fl. ounces.

Mix.

HAUSTUS HEMIDESMI CUM POTASSII IODIDO.

DRAUGHT OF HEMIDESMUS AND IODIDE OF
POTASSIUM.

Take of

Iodide of Potassium ...	3 grains,
Compound Decoction of Hemidesmus ...	to 1 fl. ounce.

Dissolve.

HAUSTUS IPECACUANHÆ EMETICUS.

EMETIC IPECACUANHA DRAUGHT.

Synonym.—*Haustus Emeticus*, 1861.

Take of

Wine of Ipecacuanha	}	each $\frac{1}{2}$ fl. ounce.
Oxymel of Squill ...		
Distilled Water ...		

Mix.

HAUSTUS MAGNESIÆ CUM SODA.

DRAUGHT OF MAGNESIA AND SODA.

Take of

Carbonate of Magnesia	}	each 8 grains,
Bicarbonate of Soda ...		
Caraway Water	...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS.

SULPHURIC MINT DRAUGHT.

Take of

Diluted Sulphuric Acid	10 minims,
Syrup of Red Poppy...	30 minims,
Spearmint Water	... to 1 fl. ounce.

Mix.

HAUSTUS MENTHÆ SULPHURICUS CUM FERRI SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE
OF IRON.

Take of

Sulphate of Iron	...	1 grain,
Spirit of Chloroform	...	10 minims,
Sulphuric Mint Draught	to 1 fl. ounce.	

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS CUM MAGNESIÆ SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE
OF MAGNESIA.

Take of

Sulphate of Magnesia	60 grains,
Sulphuric Mint Draught	to 1 fl. ounce.

Dissolve.

HAUSTUS MORPHIÆ CUM FERRO.

DRAUGHT OF MORPHIA AND IRON.

Take of

Hydrochl. of Morphia .	$\frac{1}{12}$ grain,
Solution of Perchloride of Iron	... 15 minims,
Diluted Hydrochloric Acid	... 3 minims,
Spirit of Chloroform	... 10 minims,
Distilled Water	... to 1 fl. ounce.

Mix.

HAUSTUS MORPHIÆ HYDROCHLORATIS.

DRAUGHT OF HYDROCHLORATE OF MORPHIA.

Take of

Hydrochlorate of Mor-	
phia	$\frac{1}{6}$ grain,
Diluted Hydrochloric	
Acid	$\frac{1}{8}$ minim,
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ CHLORATIS.

DRAUGHT OF CHLORATE OF POTASH.

Take of

Chlorate of Potash ...	10 grains,
Boiling Distilled Water	to 1 fl. ounce.

Dissolve.

HAUSTUS OLEI MORRHUÆ.

DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil	} each
Mucilage of Gum Acacia	
Refined Sugar in powder	30 grains,
Caraway Water	to 1 fl. ounce.

Rub together.

HAUSTUS OLEI MORRHUÆ ALKALINUS.

ALKALINE DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil...	...	2 fl. drachms,
Solution of Potash	...	15 minims,
Caraway Water	...	to 1 fl. ounce

Mix.

HAUSTUS OLEI RICINI.

DRAUGHT OF CASTOR OIL.

Take of

Castor Oil	...	} each 2 fl. drachms,
Mucilage of Gum	...	
Acacia ...	...	
Refined Sugar in powder	...	30 grains,
Caraway Water	...	to 1 fl. ounce.

Rub together.

HAUSTUS OLEI RICINI ALKALINUS.

ALKALINE DRAUGHT OF CASTOR OIL.

Take of

Castor Oil	...	2 fl. drachms,
Solution of Potash	...	15 minims,
Caraway Water	...	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ EFFERVESCENS.

EFFERVESCING POTASH DRAUGHT.

Take of

Bicarbonate of Potash	20 grains,
Distilled Water	... 1 fl. ounce.

Dissolve, and add of

Citric Acid in powder.	14 grains,
Distilled Water	... 1 fl. ounce.

To be taken during effervescence.

HAUSTUS POTASSII IODIDI
AMMONIATUS.

AMMONIATED DRAUGHT OF IODIDE OF POTASSIUM.

Take of

Iodide of Potassium	... 3 grains,
Carbonate of Ammonia	2 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUASSIÆ CUM FERRO.

DRAUGHT OF QUASSIA AND IRON.

Take of

Solution of Perchloride of Iron	... 15 minims,
Infusion of Quassia	... to 1 fl. ounce.

Mix.

HAUSTUS QUINIAE CUM FERRO.

DRAUGHT OF QUINIA AND IRON.

Take of

Sulphate of Quinia	...	1 grain,
Sulphate of Iron	...	$\frac{1}{2}$ grain,
Spirit of Chloroform	...	10 minims,
Sulphuric Mint		
Draught	...	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS QUINIAE CUM POTASSII IODIDO.

DRAUGHT OF QUINIA AND IODIDE OF POTASSIUM.

Take of

Sulphate of Quinia	...	2 grains,
Iodide of Potassium	...	5 grains,
Diluted Sulphuric Acid	...	4 minims,
Distilled Water	...	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS QUINIAE SULPHATIS.

DRAUGHT OF SULPHATE OF QUINIA.

Take of

Sulphate of Quinia	...	1 grain,
Diluted Sulphuric Acid	...	$1\frac{1}{2}$ minims,
Distilled Water	...	to 1 fl. ounce.

Mix and dissolve.

HAUSTUS RHEI CUM MAGNESIA.

DRAUGHT OF RHUBARB AND MAGNESIA.

Take of

Compound Rhubarb

Powder ... 30 grains,

Caraway Water ... to 1 fl. ounce.

Mix.

It contains about 7 grains of rhubarb,
and 20 grains of magnesia.

HAUSTUS SCOPARII COMPOSITUS.

COMPOUND BROOM DRAUGHT.

Take of

Tartrate of Potash ... 20 grains,

Spirit of Juniper ... 30 minims,

Decoction of Broom ... to 1½ fl. ounces.

Dissolve and mix.

HAUSTUS SENNÆ COMPOSITUS.

COMPOUND SENNA DRAUGHT.

Take of

Sulphate of Magnesia . ¼ ounce,

Oil of Peppermint ... ¼ minim,

Infusion of Senna ... to 1½ fl. ounces.

Dissolve and mix.

HAUSTUS SODÆ EFFERVESCENS.

EFFERVESCING SODA DRAUGHT.

Synonym.—*Haustus Sodæ Tartratis*, 1861.

Take of

Bicarbonate of Soda ...	20 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid in powder ...	17 grains,
Distilled Water ...	to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS SODÆ TARTRATIS.

DRAUGHT OF TARTRATE OF SODA.

Take of

Bicarbonate of Soda...	20 grains,
Tartaric Acid in powder ...	17 grains,
Distilled Water ...	to 1 fl. ounce.

Mix and dissolve. To be taken after effervescence has ceased.

HAUSTUS TEREBINTHINÆ.

TURPENTINE DRAUGHT.

Take of

Oil of Turpentine	...	20 minims,
Mucilage of Gum-		
Acacia		2 fl. drachms,
Caraway Water	...	to 1 fl. ounce.

Triturate the mucilage first with the oil, and then with the water added gradually.

HAUSTUS VALERIANÆ CUM
HYOSCYAMO.

DRAUGHT OF VALERIAN AND HYOSCYAMUS.

Take of

Ammoniated Tinc-	}	each $\frac{1}{2}$ fl. drachm,
ture of Valerian...		
Tincture of Hyos-		
cyamus		
Camphor Water	...	7 fl. drachms.

Mix.

HAUSTUS ZINCI EMETICUS.

EMETIC ZINC DRAUGHT.

Take of

Sulphate of Zinc	...	20 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LINCTUS.

LINCTUS.

Take of

Confection of Hips	...	100 grains,
Tragacanth in powder		6 grains,
Syrup of Poppies	...	} each 36 minims,
Vinegar of Squill	...	
Acetic Acid		2 minims,
Boiling Water	...	to 1 fl. ounce.

Mix.

Dose.—1 or 2 teaspoonfuls.

LINCTUS CUM IPECACUANHA.

LINCTUS AND IPECACUANHA.

Take of

Wine of Ipecacuanha	.	30 minims,
Linctus		to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful, containing nearly 4 minims of wine of ipecacuanha.

LINIMENTUM OPII.

OPIUM LINIMENT.

Take of

Tincture of Opium	...	1 fl. ounce,
Compound Soap Lini-		
ment		3 fl. ounces.

Mix.

LINIMENTUM PLUMBI.

LEAD LINIMENT.

Syn.—Linimentum Plumbi cum Oleo, 1861.

Take of

Solution of Subacetate		
of Lead		$\frac{1}{2}$ fl. ounce,
Olive Oil		$3\frac{1}{2}$ fl. ounces.

Mix with agitation.

LINIMENTUM SAPONIS COMPOSITUM.

COMPOUND SOAP LINIMENT.

Take of

Soft Soap		300 grains,
Oil of Marjoram		6 minims,
Rectified Spirit		3 fl. drachms,
Oil of Turpentine		$1\frac{1}{2}$ fl. drachms,
Solution of Ammonia	...	1 fl. drachm,
Boiling Distilled Water		to 4 fl. ounces.

Mix.

LIQUOR FERRI TARTARATI.

SOLUTION OF TARTARATED IRON.

Synonym.—*Vinum Ferri*, 1861.

Take of

Tartarated Iron	...	8 grains,
Treacle	..	$\frac{1}{2}$ fl. drachm, or 40 grains,
Boiling distilled Water	to	1 fl. ounce.

Mix.

Dose.—1 to 4 teaspoonfuls, containing 1 to 4 grains of tartarated iron.

LOTIO ACETI.

VINEGAR LOTION.

Take of

Vinegar	...	$\frac{1}{2}$ fl. drachm,
Distilled Water	...	$7\frac{1}{2}$ fl. drachms.

Mix.

LOTIO ACIDI CARBOLICI.

LOTION OF CARBOLIC ACID.

Take of

Glycerine of Carbolic		
Acid ...	...	15 minims,
Distilled Water	...	to 1 fl. ounce.

Mix.

LOTIO ACIDI HYDROCYANICI.

LOTION OF HYDROCYANIC ACID.

Take of

Diluted Hydrocyanic

Acid 10 minims,

Distilled Water ... to 1 fl. ounce.

Mix.

LOTIO ACIDI SULPHUROSI.

LOTION OF SULPHUROUS ACID.

Take of

Sulphurous Acid ... } each $\frac{1}{2}$ fl. ounce.
Glycerine ... }

Mix.

LOTIO ALUMINIS.

ALUM LOTION.

Take of

Alum in powder ... 16 grains,

Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS COMPOSITA.

COMPOUND ALUM LOTION.

Take of

Alum in powder ... } each 8 grains,
Sulphate of Zinc ... }

Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS MITIOR.

MILD ALUM LOTION.

Synonym.—*Collyrium Aluminis*, 1861.

Take of

Alum in powder	...	8 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS MITISSIMA.

WEAKEST ALUM LOTION.

Take of

Alum in powder	...	4 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ARGENTI NITRATIS.

LOTION OF NITRATE OF SILVER.

Take of

Nitrate of Silver	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

LOTIO ARGENTI NITRATIS MITIOR.

MILD LOTION OF NITRATE OF SILVER.

Synon.—*Collyrium Argenti Nitratis*, 1861.

Take of

Nitrate of Silver	...	1 grain,
Distilled Water	...	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

LOTIO ARNICÆ.

ARNICA LOTION.

Take of

Tincture of Arnica	...	1 fl. drachm,
Lead Lotion	...	to 1 fl. ounce.

Mix.

LOTIO ATROPIÆ SULPHATIS.

LOTION OF SULPHATE OF ATROPIA.

Take of

Sulphate of Atropia	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO BORACIS CUM POTASSÆ CHLORATE.

LOTION OF BORAX AND CHLORATE OF POTASH.

Take of

Borax in Powder	...	3 grains,
Chlorate of Potash	...	6 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO CUPRI SULPHATIS.

LOTION OF SULPHATE OF COPPER.

Take of

Sulphate of Copper in powder	...	2 grains,
Distilled Water	...	1 fl. ounce.

Dissolve.

LOTIO FERRI SULPHATIS.

LOTION OF SULPHATE OF IRON.

Take of

Sulphate of Iron in powder	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI.

LOTION OF PERCHLORIDE OF MERCURY.

Take of

Perchloride of Mercury	$\frac{1}{4}$ grain,
Distilled Water	... 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI HYDROCYANICA.

HYDROCYANIC LOTION OF PERCHLORIDE OF
MERCURY.

Synonym. — *Lotio Hydrargyri Bichloridi Amygdalina*, 1861.

Take of

Perchloride of Mercury	$\frac{1}{2}$ grain,
Glycerine	... 2 fl. drachms,
Diluted Hydrocyanic	} 8 minims,
Acid ...	
Distilled Water	... to 1 fl. ounce.

Dissolve and mix.

LOTIO OPII.

OPIUM LOTION.

Take of

Opium	... 5 grains,
Boiling Distilled Water	1 fl. ounce.

Rub together and filter.

LOTIO PLUMBI.

LEAD LOTION.

Synonym.—Liquor Plumbi Subacetatis dilutus, Brit. Pharm.

LOTIO PLUMBI ACETATIS.

LOTION OF ACETATE OF LEAD.

Take of

Acetate of Lead	...	2 grains,
Diluted Acetic Acid	...	2 minims,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO PLUMBI CUM OPIO.

LEAD LOTION WITH OPIUM.

Take of

Extract of Opium	...	1 grain,
Lead Lotion	..	1 fl. ounce.

Rub together.

LOTIO POTASSÆ PERMANGANATIS.

LOTION OF PERMANGANATE OF POTASH.

Take of

Solution of Perman-		
ganate of Potash	...	12 minims,
Distilled Water	...	to 1 fl. ounce.

Mix.

LOTIO POTASSÆ SULPHURATÆ.
SULPHUR LOTION.

Synon.—*Lotio Potassii Sulphureti*, 1861.

Take of

Sulphurated Potash ...	4 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve.

LOTIO QUERCUS COMPOSITA.
COMPOUND LOTION OF OAK-BARK.

Take of

Alum in powder ...	} each 4 grains,
Sulphate of Zinc... ..	
Decoction of Oak-Bark	to 1 fl. ounce.

Dissolve.

LOTIO SODÆ CHLORATÆ.
CHLORINE LOTION.

Take of

Solution of Chlorinated

Soda	$\frac{1}{2}$ fl. drachm,
Distilled Water ...	$7\frac{1}{2}$ fl. drachms.

Mix.

LOTIO ZINCI SULPHATIS.
ZINC LOTION.

Take of

Sulphate of Zinc ...	4 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve.

LOTIO ZINCI SULPHATIS MITIOR.

MILD ZINC LOTION.

Take of

Sulphate of Zinc	...	1 grain,
Distilled Water	...	1 fl. ounce.

Dissolve.

OLEUM CARBOLATUM.

CARBOLATED OIL.

Take of

Carbolic Acid, liquefied			
by heat	...	...	48 minims,
Olive Oil	...	...	to 4 fl. ounces.

Mix.

PILULA ALOES CUM NUCE VOMICA.

PILL OF ALOES AND NUX VOMICA.

Take of

Pill of Barbadoes			
Aloes	...	...	4½ grains,
Extract of Nux Vomica			¼ grain,
Treacle	...	...	a sufficiency.

Beat together, and form a pill.

PILULA ALOES CUM SAPONE.

ALOES AND SOAP PILL.

Take of

Cape Aloes in powder .	}	each 2 grains,
Hard Soap in powder .		
Distilled Water	...	a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

PILL OF CAMPHOR AND HYOSCYAMUS.

Take of

Camphor in powder ...	}	each $2\frac{1}{2}$ grains.
Extract of Hyoscyamus		

Beat together, and form a pill.

PILULA CAMPHORÆ CUM OPIO.

PILL OF CAMPHOR AND OPIUM.

Take of

Camphor in powder ...	2 grains,
Opium in powder ...	$\frac{1}{2}$ grain.

Beat together, and form a pill.

PILULA CREASOTI.

CREASOTE PILL.

Take of

Creasote	...	...	1 minim.
Crumb of Bread	...	...	a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI CUM ASSAFŒTIDA.

PILL OF CREASOTE AND ASSAFŒTIDA.

Take of

Creasote	...	...	1 minim,	
Compound Pill of As-	}	...	each 2 grains.	
safœtida				...
Compound Rhubarb				...
Pill	...	...		

Beat together, and form a pill.

PILULA ELATERII COMPOSITA.

COMPOUND ELATERIUM PILL.

Take of

Elaterium	...	...	$\frac{1}{4}$ grain,
Compound Extract of			
Colocynth	...	...	2 grains,
Subchloride of Mercury			
			$1\frac{1}{2}$ grains,
Capsicum Fruit in			
powder	...	...	$\frac{1}{2}$ grain,
Treacle	...	...	a sufficiency.

Beat together, and form a pill.

PILULA FERRI REDACTI.

IRON PILL.

Take of

Reduced Iron ...	...	3 grains,
Balsam of Peru ...	...	$\frac{1}{2}$ minim,
Starch in powder ...	...	a sufficiency.

Beat the iron and the balsam together, form a pill, and roll it in the starch.

PILULA FERRI FOETIDA.

FETID IRON PILL.

Take of

Saccharated Carbonate		
of Iron	...	3 grains,
Compound Assafoetida		
Pill	...	2 grains,
Treacle... ..	...	a sufficiency.

Beat together, and form a pill.

PILULA FERRI SULPHATIS.

PILL OF SULPHATE OF IRON,

Take of

Dried Sulphate of Iron	} each 1 grain,
Ginger in powder ...	
Extract of Gentian ...	3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA COMPOSITA.

COMPOUND PILL OF MERCURY WITH CHALK.

Take of

Mercury with Chalk...	}	each $2\frac{1}{2}$ grains,
Compound Powder of		
Ipecacuanha ...		
Treacle... ..		a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET RHEI.

PILL OF MERCURY WITH CHALK AND RHUBARB.

Take of

Mercury with Chalk...	}	each $2\frac{1}{2}$ grains,
Rhubarb Root in		
powder		
Treacle... ..		a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

MERCURIAL PILL AND SQUILL.

Take of

Mercurial Pill...	... 3 grains,
Squill in powder	... $1\frac{1}{2}$ grains.

Beat together, and form a pill.

PILULA HYDRARGYRI PERCHLORIDI
CUM BELLADONNA.

PILL OF PERCHLORIDE OF MERCURY AND
BELLADONNA.

Take of

Perchloride of Mercury $\frac{1}{12}$ grain,
Extract of Belladonna $\frac{1}{6}$ grain,
Extract of Gentian ... 4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM COLOCYNTHIDE.

PILL OF CALOMEL AND COLOCYNTH.

Take of

Subchloride of Mercury 1 grain,
Compound Extract of
Colocynth ... 4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM JALAPA.

PILL OF CALOMEL AND JALAP.

Take of

Subchloride of Mercury 1 grain,
Jalap in powder ... 4 grains,
Treacle ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM RHEO.

PILL OF CALOMEL AND RHUBARB.

Take of

Subchloride of Mercury	1 grain,
Rhubarb Root in powder	4 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM SCAMMONIO.

PILL OF CALOMEL AND SCAMMONY.

Take of

Subchloride of Mercury	1 grain,
Scammony in powder	3 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

POTASSA CUM CALCE.

CAUSTIC POTASH AND LIME.

Take of

Caustic Potash	...	} equal parts,
Lime	...	
Glycerine	...	a sufficiency.

Mix.

POTUS POTASSÆ CHLORATIS.

CHLORATE OF POTASH DRINK.

Take of

Chlorate of Potash	...	60 grains,
Boiling Water	...	1 pint.

Dissolve.

POTUS POTASSÆ TARTRATIS ACIDÆ.

CREAM OF TARTAR DRINK.

Take of

Acid Tartrate of Potash	60 grains,
Half the fresh Peel of a Lemon,	
Boiling Water	... 1 pint.

Dissolve the salt, and infuse in a covered vessel.

PULVIS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK POWDER AND RHUBARB.

Take of

Aromatic Powder of			
Chalk	...	...	20 grains,
Rhubarb Root in Pow-			
der	...	...	10 grains.

Mix.

PULVIS EMETICUS.

EMETIC POWDER.

Take of

Ipecacuanha in powder 20 grains,
 Tartarated Antimony
 in powder $\frac{1}{2}$ grain.

Mix.

PULVIS RHEI CUM POTASSÆ
SULPHATE.

POWDER OF RHUBARB AND SULPHATE OF POTASH.

Take of

Rhubarb Root in powder 10 grains,
 Sulphate of Potash ... 30 grains.

Mix.

SPIRITUS AMMONIÆ AROMATICUS

AROMATIC SPIRIT OF AMMONIA.

Take of

Carbonate of Ammonia 8 ounces,
 Strong Solution of Am-
 monia 4 fl. ounces,
 Oil of Lemon 2 fl. drachms,
 Rectified Spirit ... 5 pints,
 Distilled Water ... to 7 pints.

Dissolve and mix.

Equal in amount of carbonate of ammonia to Spiritus Ammoniaë Aromaticus of the *Brit. Pharm.*

SPIRITUS AMMONIÆ FŒTIDUS.

FETID SPIRIT OF AMMONIA.

Take of

Tincture of Assafoetida	6 fl. ounces,
Rectified Spirit	... 3 fl. ounces,
Strong Solution of Am-	
monia	... 1 fl. ounce.

Mix.

Equal in amount of assafoetida and of ammonia to Spiritus Ammoniæ Fœtidus of the *Brit. Pharm.*

SPIRITUS CARUI.

SPIRIT OF CARAWAY.

Take of

Oil of Caraway	... 1 fl. ounce,
Rectified Spirit	... 19 fl. ounces.

Mix.

SPIRITUS CARYOPHYLLI.

SPIRIT OF CLOVES.

Take of

Oil of Cloves	... 1 fl. ounce,
Rectified Spirit	... 19 fl. ounces.

Mix.

SPIRITUS CASSIÆ.

SPIRIT OF CASSIA.

Take of

Oil of Cassia	...	...	1 fl. ounce,
Rectified Spirit	...	...	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ PIPERITÆ.

SPIRIT OF PEPPERMINT.

Take of

Oil of Peppermint	...	...	1 fl. ounce,
Rectified Spirit	...	...	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ VIRIDIS.

SPIRIT OF SPEARMINT.

Take of

Oil of Spearmint	...	...	1 fl. ounce,
Rectified Spirit	...	...	19 fl. ounces.

Mix.

SUPPOSITORIUM OPII.

OPIUM SUPPOSITORY.

Take of

Compound Pill of Soap	12 grains.
-----------------------	------------

Make a suppository.

It contains about 2 grains of dried opium.

SYRUPUS PAPAVERIS.

SYRUP OF POPPIES.

Take of

Poppy Capsules bruised
 and freed from Seeds $2\frac{1}{4}$ pounds,
 Treacle ... 2 pounds 1 ounce,
 Distilled Water at 170° 3 gallons.

Macerate the poppy capsules in the water for 12 hours, draw off and express the liquor, and evaporate it to two pints and a half, then add the treacle.

Equal in strength to Syrupus Papaveris of the *Brit. Pharm.*

SYRUPUS RHŒADOS.

SYRUP OF RED POPPY.

Take of

Dried Red-Poppy Pe-
 tals 13 ounces,
 Treacle ... $5\frac{1}{4}$ pounds,
 Boiling Distilled Water $5\frac{1}{2}$ pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle to it.

UNGUENTUM PICIS CUM PLUMBO.

OINTMENT OF TAR AND LEAD.

Take of

Ointment of Tar	...	} equal parts.
Ointment of Acetate of	...	
Lead ...	...	

Mix.

VINUM IPECACUANHÆ.

WINE OF IPECACUANHA.

Take of

Ipecacuanha bruised	...	1 ounce,
Sherry	...	} each 4 fl. ounces,
Rectified Spirit	...	
Distilled Water	...	12 fl. ounces.

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Pharm.*

ST. BARTHOL

DIE

<i>Meals.</i>	<i>Full Diet (Meat).</i>	<i>Half Diet (Meat).</i>
Breakfast.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Dinner.	Half-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	Quarter-pound Meat wh dressed. Half-pound Potatoes. Bread and Beer.
Tea.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Supper.	Bread and Butter. Beer.	Bread and Butter. Beer.
Daily Allowances to each Patient.	2 Pints of Tea. 14 Ounces of Bread. Half-pound Meat when dressed. Half-pound Potatoes. 2 Pints Beer (<i>Men</i>). 1 Pint Beer (<i>Women</i>). 1 Ounce Butter.	2 Pints of Tea. 12 Ounces Bread. Quarter-pound Meat wh dressed. Half-pound Potatoes. 1 Pint Beer. $\frac{3}{4}$ Ounce Butter.

Extras to be specially ordered,—Mutton Chops, Beef Steaks, Beef

Each Patient, on Admission, to be placed on Milk I

NEW'S HOSPITAL.

SCALE.

<i>Broth Diet.</i>	<i>Milk Diet.</i>	<i>Low Diet.</i>	Children under Nine Years to receive half Allowances.
1 Pint of Tea.	1 Pint of Tea.	Bread. —	
1 Pint and a half Broth. 4 Ounces Potatoes (mashed) Bread.	1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Rice, or Sago. Bread.	Broth, Gruel, or Barley	
1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.	Water, as may be	
Bread and Butter. Gruel.	Bread and Butter. Gruel.	ordered.	
2 Pints of Tea. 12 Ounces Bread. 1 Pint and a half Broth. 4 Ounces Potatoes (mashed) $\frac{3}{4}$ Ounce Butter. Gruel.	2 Pints of Tea. 12 Ounces Bread. 1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Rice, or Sago. $\frac{3}{4}$ Ounce Butter. Gruel.	Bread. — Broth, Gruel, or Barley Water.	

of Tea, Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirits.

When a Diet is ordered by the Physician or Surgeon.

APPENDIX.

TABLE

Of the Ordinary Doses for an Adult of the following Officinal Articles, taken from the British Pharmacopœia of 1867.

Acetum Scillæ	15 to 40 min.
Acidum Gallicum	2 to 10 gr.
— Hydrochloricum Dil.	10 to 30 min.
— Hydrocyanicum Dil.	2 to 8 „
— Nitricum Dilutum	10 to 30 „
— Nitro-hydrochlor. Dil.	5 to 20 „
— Phosphoricum Dilut.	10 to 30 „
— Sulphuricum Aromat.	5 to 30 „
— Sulphuricum Dilutum	5 to 30 „
— Tannicum	2 to 10 gr.
Aloe	2 to 6 „
Alumen	10 to 20 „
Ammoniæ Benzoas	10 to 20 „
— Carbonas	3 to 10 „
Ammonii Bromidum	2 to 20 „
— Chloridum	5 to 20 „

Antimonium Tartaratum,			
	<i>diaphoretic</i>	$\frac{1}{16}$ to $\frac{1}{6}$ gr.	
— —	<i>emetic</i>	1 to 2	„
Argenti Nitras . . .		$\frac{1}{6}$ to $\frac{1}{3}$	„
— Oxidum . . .		$\frac{1}{2}$ to 2	„
Assafoetida . . .		5 to 20	„
Bismuthi Carbonas . .		5 to 20	„
— Subnitras . . .		5 to 20	„
Borax . . .		5 to 40	„
Calcii Chloridum . .		10 to 20	„
Calcis Phosphas . .		10 to 20	„
Camphora . . .		1 to 10	„
Colchici Cormus . .		2 to 8	„
Confectio Opii . . .		5 to 20	„
— Piperis . . .		60 to 120	„
— Sennæ . . .		60 to 120	„
Copaiba . . .		30 to 60	min.
Creasotum . . .		1 to 3	drops.
Creta præparata . .		10 to 60	gr.
Cubeba . . .		30 to 120	„
Cupri Sulphas . . .		$\frac{1}{4}$ to 2	„
Decoctum Aloes Compos.		$\frac{1}{2}$ to 2	fl. drs.
— Cinchonæ Pallidæ .		1 to 2	„
— Hæmatoxyli . .		1 to 2	„
— Pareiræ . . .		1 to 2	„

Decoctum Scoparii . . .	2 to 4 fl. drs.
— Ulmi . . .	2 to 4 „
Digitalis Folia . . .	$\frac{1}{2}$ to $1\frac{1}{2}$ gr.
Elaterium . . .	$\frac{1}{16}$ to $\frac{1}{2}$ „
Ergota . . .	20 to 30 „
Extractum Aconiti . . .	1 to 2 „
— Aloes . . .	2 to 6 „
— Belæ Liquidum . . .	1 to 2 fl. drs.
— Belladonnæ . . .	$\frac{1}{4}$ to 1 gr.
— Cinchonæ Pal. Liquid. . .	10 to 30 min.
— Colchici . . .	$\frac{1}{2}$ to 1 gr.
— Colchici Aceticum . . .	$\frac{1}{2}$ to 1 „
— Colocynthis Comp. . .	3 to 10 „
— Conii . . .	2 to 6 „
— Ergotæ Liquidum . . .	10 to 30 min.
— Filicis Liquidum . . .	15 to 30 „
— Hyoscyami . . .	5 to 10 gr.
— Nucis Vomicæ . . .	$\frac{1}{2}$ to 2 „
— Opii Liquidum . . .	10 to 40 min.
— Papaveris . . .	2 to 5 gr.
— Physostigmatis . . .	$\frac{1}{16}$ to $\frac{1}{4}$ „
— Stramonii . . .	$\frac{1}{4}$ to $\frac{1}{2}$ „
— Taraxaci . . .	5 to 30 „
Ferri Carbonas Saccharat. . .	5 to 20 „
— et Ammoniæ Citras . . .	5 to 10 „

Ferri et Quiniæ Citras . . .	5 to 10 gr.
— Iodidum . . .	1 to 5 „
— Peroxidum Hydratum . . .	5 to 30 „
— Phosphas . . .	5 to 10 „
— Sulphas . . .	1 to 5 „
Ferrum Redactum . . .	1 to 5 „
— Tartaratum . . .	5 to 10 „
Hydrargyri Iodidum Rubrum . . .	$\frac{1}{16}$ to $\frac{1}{4}$ „
— Iodidum Viride . . .	1 to 3 „
— Perchloridum . . .	$\frac{1}{16}$ to $\frac{1}{8}$ „
— Subchloridum . . .	$\frac{1}{2}$ to 5 „
Hydrargyrum cum Creta . . .	3 to 8 „
Infusum Buchu . . .	1 to 4 fl. oz.
— Calumbæ . . .	1 to 2 „
— Caryophylli . . .	1 to 4 „
— Cascarillæ . . .	1 to 2 „
— Catechu . . .	1 to 2 „
— Chiratæ . . .	1 to 2 „
— Cinchonæ Pallidæ . . .	1 to 2 „
— Cusso . . .	4 to 8 „
— Digitalis . . .	2 to 4 fl. drs.
— Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Compositum . . .	1 to 2 „
— Quassiæ . . .	1 to 2 „

Infusum Rhei	1 to 2 fl. oz.
— Senegæ	1 to 2 „
— Uvæ Ursi	1 to 2 „
— Valerianæ	1 to 2 „
Ipecacuanha, <i>expectorant</i>	$\frac{1}{2}$ to 2 gr.
— <i>emetic</i>	15 to 30 „
Jalapa	10 to 30 „
Kamala	30 gr. to $\frac{1}{4}$ oz.
Liquor Ammonię Acetatis	2 to 6 fl. drs.
— Ammonię Citratis . .	2 to 6 „
— Arsenicalis	2 to 8 min.
— Arsenici Hydrochlor.	2 to 8 „
— Bismuthi et Ammonię	
Citratis	30 to 60 „
— Calcis	1 to 4 fl. oz.
— Calcis Saccharatus .	15 to 60 min.
— Chlorig	10 to 20 „
— Ferri Perchloridi . .	10 to 30 „
— Ferri Pernitratiss .	10 to 40 „
— Hydrargyr. Perchlor.	30 to 120 „
— Morphię Acetatis . .	10 to 60 „
— Morphię Hydrochlor.	10 to 60 „
— Potassę	15 to 60 „
— Sodę Arseniatis . .	5 to 10 „
— Sodę Chloratę . . .	10 to 20 „

Liquor Strychniæ . . .	5 to 10 min.
Lithiæ Carbonas . . .	3 to 6 gr.
— Citras . . .	5 to 10 „
Magnesia . . .	10 to 60 „
Magnesiæ Carbonas . . .	10 to 60 „
— Sulphas . . .	60 gr. to $\frac{1}{2}$ oz.
Mistura Ammoniaci . . .	$\frac{1}{2}$ to 1 fl. oz.
— Creasoti . . .	1 to 2 „
— Cretæ . . .	1 to 2 „
— Ferri Composita . . .	1 to 2 „
— Guaiaci . . .	$\frac{1}{2}$ to 2 „
— Scammonii (<i>for a child</i>) . . .	$\frac{1}{2}$ to 2 „
Morphiæ Acetas . . .	$\frac{1}{8}$ to $\frac{1}{2}$ gr.
— Hydrochloras . . .	$\frac{1}{8}$ to $\frac{1}{2}$ „
Oleum Crotonis . . .	$\frac{1}{3}$ to 1 min.
— Morrhuæ . . .	1 to 8 fl. drs.
— Ricini . . .	1 to 8 „
— Terebinthinæ . . .	10 to 30 min.
— — <i>anthelmintic</i> . . .	4 fl. drs.
Opium . . .	$\frac{1}{2}$ to 2 gr.
Oxymel Scillæ . . .	$\frac{1}{2}$ to 1 fl. drm.
Pilula Aloes Barbadosensis . . .	5 to 10 gr.
— Aloes et Assafœtidæ . . .	5 to 10 „
— Aloes et Ferri . . .	5 to 10 „
— Aloes et Myrrhæ . . .	5 to 10 „

Pilula Aloes Socotrinæ .	5 to 10 gr.
— Assafœtidæ Composita	5 to 10 „
— Conii Composita .	5 to 10 „
— Ferri Carbonatis .	5 to 20 „
— Ferri Iodidi . .	5 to 8 „
— Hydrargyri . .	3 to 8 „
— Hydrargyri Subchloridi Composita . .	5 to 10 „
— Ipecacuanhæ cum Scilla . . .	5 to 10 „
— Plumbi cum Opio .	3 to 5 „
— Rhei Composita .	5 to 10 „
— Saponis Composita .	3 to 5 „
— Scillæ Composita .	5 to 10 „
Plumbi Acetas . . .	1 to 4 „
Podophylli Resina . .	$\frac{1}{4}$ to 1 „
Potassæ Acetas . .	10 to 60 „
— Bicarbonas . . .	10 to 40 „
— Chloras . . .	10 to 30 „
— Citras . . .	20 to 60 „
— Nitras . . .	10 to 30 „
— Sulphas . . .	15 to 60 „
— Tartras . . .	60 gr. to $\frac{1}{2}$ oz.
— Tartras Acida . .	20 to 60 gr.
Potassii Bromidum . .	5 to 30 „

Potassii Iodidum	.	.	2 to 10	gr.
Pulvis Antimonialis	.	.	3 to 10	„
— Catechu Compositus			20 to 40	„
— Cretæ Aromaticus	.	.	10 to 60	„
— Cretæ Aromaticus cum Opio	.	.	10 to 40	„
— Ipecacuanhæ Compos.			5 to 15	„
— Kino Compositus	.	.	5 to 20	„
— Rhei Compositus	.	.	20 to 60	„
— Scammonii Compos.	.	.	10 to 20	„
Quiniæ Sulphas	.	.	1 to 10	„
Rhei Radix	.	.	5 to 20	„
Santoninum	.	.	2 to 6	„
Scammonium	.	.	5 to 10	„
Scilla	.	.	1 to 3	„
Soda Tartarata	.	.	$\frac{1}{4}$ to $\frac{1}{2}$	oz.
Sodæ Bicarbonas	.	.	10 to 60	gr.
— Sulphas	.	.	$\frac{1}{4}$ to 1	oz.
Spiritus Ætheris	.	.	30 to 90	min.
— Ætheris Nitrosi	.	.	30 to 120	„
— Ammoniæ Aromaticus			30 to 60	„
— Ammoniæ Fœtidus	.	.	30 to 60	„
— Armoraciæ Compos.	.	.	60 to 120	„
— Chloroformi	.	.	20 to 60	„
— Juniperi	.	.	30 to 60	„

Strychnia . . .	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
Succus Conii . . .	30 to 60 min.
— Scoparii . . .	1 to 2 fl. drs.
— Taraxaci . . .	1 to 2 „
Syrupus Aurantii . . .	1 „
— Ferri Iodidi . . .	$\frac{1}{2}$ to 1 „
— Ferri Phosphatis . . .	1 „
— Papaveris . . .	1 „
— Rhceados . . .	1 „
— Sennæ . . .	1 to 4 „
— Zingiberis . . .	1 „
Tinctura Aconiti . . .	5 to 15 min.
— Aloes . . .	60 to 120 „
— Assafoetidæ . . .	30 to 60 „
— Belladonnæ . . .	5 to 20 „
— Benzoini Composita . . .	30 to 60 „
— Calumbæ . . .	30 to 120 „
— Camphoræ Composita . . .	15 to 60 „
— Cannabis Indicæ . . .	5 to 20 „
— Cantharidis . . .	5 to 20 „
— Capsici . . .	10 to 20 „
— Cascarillæ . . .	30 to 120 „
— Catechu . . .	30 to 120 „
— Cinchonæ Composita . . .	30 to 120 „
— Cinchonæ Flavæ . . .	30 to 120 „

Tinctura Cinchonæ Pallidæ 30 to 120 min.

— Colchici Semen	. . .	10 to 30	„
— Conii	. . .	20 to 60	„
— Digitalis	. . .	10 to 30	„
— Ergotæ	. . .	10 to 60	„
— Ferri Acetatis	. . .	5 to 30	„
— Ferri Perchloridi	. . .	10 to 30	„
— Gentianæ Composita		30 to 120	„
— Guaiaci Ammoniata	. . .	30 to 120	„
— Hyoscyami	. . .	30 to 60	„
— Iodi	. . .	5 to 20	„
— Jalapæ	. . .	30 to 120	„
— Kino	. . .	30 to 120	„
— Lobeliæ	. . .	10 to 30	„
— Lobeliæ Ætheria	. . .	10 to 30	„
— Lupuli	. . .	30 to 60	„
— Myrrhæ	. . .	30 to 60	„
— Nucis Vomicæ	. . .	10 to 20	„
— Opii	. . .	5 to 40	„
— Rhei,	<i>stomachic</i>	1 to 2 fl. drs.	
— —	<i>purgative</i>	4 to 8	„
— Scillæ	. . .	10 to 30 min.	
— Sennæ	. . .	1 to 4 fl. drs.	
— Stramonii	. . .	10 to 30 min.	
— Valerianæ	. . .	60 to 120	„

Tinctura Valerianæ

Ammoniata . . .	30 to 60 min.
— Veratri Viridis . . .	5 to 20 „
— Zingiberis . . .	15 to 60 „
Vinum Antimoniale . . .	5 to 60 „
— Colchici . . .	10 to 30 „
— Ferri . . .	1 to 4 fl. drs.
— Ipecacuanhæ,	
<i>expectorant</i>	5 to 40 min.
— — — <i>emetic</i>	3 to 6 fl. drs.
Zinci Oxidum . . .	2 to 10 gr.
— Sulphas, <i>tonic</i>	1 to 3 „
— — — <i>emetic</i>	20 to 30 „

INDEX.

*The Names printed in italics are Synonyms
employed in the Pharmacopœia of 1861.*

	PAGE
Aqua Carui	1
—— Caryophylli	1
—— Cassiæ	2
—— Menthæ Piperitæ	2
—— Menthæ Viridis	2
Balneum Acidum	3.
—— Alkalinum	3
—— Calidum	3
—— Creasoti	3
—— Glutinis	4
—— Marinum	4
—— Sulphureum	4
—— Tepidum	4
Ceratum simplex	5
<i>Collyrium Aluminis</i>	35
—— <i>Argentī Nitratis</i>	36

	PAGE
Confectio Aluminis	5
———— Boracis	5
———— <i>Cinchonæ</i>	6
———— Cinchonæ Flavæ	6
———— <i>Ferri Potassio-tartratis</i>	6
———— Ferri Tartarati	6
———— Jalapæ	7
———— <i>Jalapæ composita</i>	7
———— <i>Potassæ Bitartratis</i>	7
———— Potassæ Tartratis Acidæ	7
———— Sulphuris	8
———— <i>Sulphuris composita</i>	8
Decoctum Aloes compositum	8
———— Hemidesmi compositum	9
———— <i>Sarsæ compositum</i>	9
Enema Olei Ricini	10
———— Saponis	10
———— Sodii Chloridi	10
Fotus Belladonnæ	10
———— Papaveris	11
Gargarisma Aceticum	11
———— <i>Acidi Acetici</i>	11
———— <i>Acidi Hydrochlorici</i>	12
———— Aluminis	11
———— Aluminis compositum	11
———— Capsici	12

	PAGE
Gargarisma Hydrochloricum . . .	12
————— Sodæ Chloratæ . . .	12
————— <i>Sodæ Chlorinatæ</i> . . .	12
Glycerinum Acidi Gallici . . .	13
Haustus Acidi Gallici . . .	13
————— Acidi Hydrocyanici . . .	13
————— Acidi Nitro-hydrochlorici . . .	14
————— Ætheris Ammoniatus . . .	14
————— Aloes et Camphoræ . . .	14
————— Ammoniaci Fœtidus . . .	15
————— Ammoniæ Acetatis . . .	15
————— Ammoniæ Acetatis cum Magnesiæ Sulphate . . .	15
————— Ammoniæ Acetatis cum Scilla . . .	16
————— Ammoniæ Acetatis et Camphoræ . . .	16
————— Amygdalæ . . .	16
————— Antimonii cum Magnesiæ Sulphate . . .	17
————— <i>Aromaticus</i> . . .	19
————— <i>Aromaticus cum Rheo</i> . . .	20
————— Calumbæ Alkalinus . . .	17
————— Calumbæ compositus . . .	17
————— Camphoræ Fœtidus . . .	18
————— Cascarillæ cum Scilla . . .	18
————— Cinchonæ Acidus . . .	18
————— <i>Cinchonæ compositus</i> . . .	18
————— Colchici . . .	19

	PAGE
Haustus <i>Colchici compositus</i> . . .	19
— <i>Copaibæ compositus</i> . . .	19
— <i>Cretæ Aromaticus</i> . . .	19
— <i>Cretæ Aromaticus cum Opio</i> . . .	20
— <i>Cretæ Aromaticus cum Rheo</i> . . .	20
— <i>Cretæ compositus</i> . . .	20
— <i>Emeticus</i> . . .	22
— <i>Ferri et Ammoniaë Citratis</i> . . .	20
— <i>Gentianæ cum Rheo</i> . . .	21
— <i>Gentianæ cum Senna</i> . . .	21
— <i>Hemidesmi cum Potassii Iodido</i> . . .	21
— <i>Ipecacuanhæ Emeticus</i> . . .	22
— <i>Magnesiaë cum Soda</i> . . .	22
— <i>Menthæ Sulphuricus</i> . . .	22
— <i>Menthæ Sulphuricus cum Ferri</i> Sulphate . . .	23
— <i>Menthæ Sulphuricus cum Magnesiaë</i> Sulphate . . .	23
— <i>Morphiaë cum Ferro</i> . . .	23
— <i>Morphiaë Hydrochloratis</i> . . .	24
— <i>Olei Morrhuæ</i> . . .	24
— <i>Olei Morrhuæ Alkalinus</i> . . .	25
— <i>Olei Ricini</i> . . .	25
— <i>Olei Ricini Alkalinus</i> . . .	25
— <i>Potassæ Effervescens</i> . . .	26
— <i>Potassii Iodidi Ammoniatatus</i> . . .	26

Haustus	Quassiae cum Ferro	26
————	Quiniae cum Ferro	27
————	Quiniae cum Potassii Iodido	27
————	Quiniae Sulphatis	27
————	Rhei cum Magnesia	28
————	Scoparii compositus	28
————	Sennae compositus	28
————	Sodae Effervescens	29
————	Sodae Tartratis	29
————	<i>Sodae Tartratis</i>	29
————	Terebinthinæ	30
————	Valerianæ cum Hyoscyamo	30
————	Zinci Emeticus	30
Linctus		31
Linctus cum Ipecacuanha		31
Linimentum Opii		32
—————	Plumbi	32
—————	<i>Plumbi cum Oleo</i>	32
—————	Saponis compositum	32
Liquor Ferri Tartarati		33
Lotio Aceti		33
————	Acidi Carbolici	33
————	Acidi Hydrocyanici	34
————	Acidi Sulphurosi	34
————	Aluminis	34
————	Aluminis composita	34

	PAGE
Lotio Aluminis mitior	35
— Aluminis mitissima	35
— Argenti Nitratis	35
— Argenti Nitratis mitior	36
— Arnicæ	36
— Atropiæ Sulphatis	36
— Boracis cum Potassæ Chlorate	37
— Cupri Sulphatis	37
— Ferri Sulphatis	37
— Hydrargyri Bichloridi Amygdalina	38
— Hydrargyri Perchloridi	38
— Hydrargyri Perchloridi Hydrocyanica	38
— Opii	38
— Plumbi	39
— Plumbi Acetatis	39
— Plumbi cum Opio	39
— Potassæ Permanganatis	39
— Potassæ Sulphuratæ	40
— Potassii Sulphureti	40
— Quercus composita	40
— Sodæ Chloratæ	40
— Zinci Sulphatis	40
— Zinci Sulphatis mitior	41
Oleum Carbolatum	41
Pilula Aloes cum Nuce Vomica	41
— Aloes cum Sapone	42

Pilula	Camphoræ cum Hyoscyamo	. . .	42
—	Camphoræ cum Opio . . .	. . .	42
—	Creasoti	. . .	43
—	Creasoti cum Assafoetida . . .	. . .	43
—	Elaterii composita	. . .	43
—	Ferri Redacti	. . .	44
—	Ferri Fœtida	. . .	44
—	Ferri Sulphatis	. . .	44
—	Hydrargyri cum Creta composita . .	. . .	45
—	Hydrargyri cum Creta et Rhei . .	. . .	45
—	Hydrargyri cum Scilla	. . .	45
—	Hydrargyri Perchloridi cum Bella-		
	donna	. . .	46
—	Hydrargyri Subchloridi cum Colo-		
	cynthide	. . .	46
—	Hydrargyri Subchloridi cum Jalapa .	. . .	46
—	Hydrargyri Subchloridi cum Rheo .	. . .	47
—	Hydrargyri Subchloridi cum Scam-		
	monio	. . .	47
Potassa cum Calce	. . .	. . .	47
Potus Potassæ Chloratis	. . .	. . .	48
— Potassæ Tartratis Acidæ	. . .	. . .	48
Pulvis Cretæ Aromaticus cum Rheo . .	. . .	. . .	48
— Emeticus	. . .	. . .	49
— Rhei cum Potassæ Sulphate	. . .	. . .	49
Spiritus Ammoniaë Aromaticus	. . .	. . .	49

	PAGE
Spiritus Ammoniae Fœtidus	50
——— Carui	50
——— Caryophylli	50
——— Cassiæ	51
——— Menthæ Piperitæ	51
——— Menthæ Viridis	51
Suppositorium Opii	51
Syrupus Papaveris	52
——— Rhœados	52
Unguentum Picis cum Plumbo	53
<i>Vinum Ferri</i>	33
Vinum Ipecacuanhæ	53





